

CORRECTION

Open Access

Correction: Circulating alpha-klotho levels are not disturbed in patients with type 2 diabetes with and without macrovascular disease in the absence of nephropathy

Joris van Ark¹, Hans-Peter Hammes², Marcory CRF van Dijk^{1,3}, Chris PH Lexis⁴, Iwan CC van der Horst⁵, Clark J Zeebregts⁶, Marc G Vervloet⁷, Bruce HR Wolffenbuttel⁸, Harry van Goor¹ and Jan-Luuk Hillebrands^{1*}

Correction

After publication of this work [1], we noted that we inadvertently failed to include the complete list of all coauthors. The full list of authors has now been added and the Authors' contributions and Competing interests section modified accordingly.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

JvA was responsible for the conception and design of the study, researched data, and wrote the manuscript. HPH contributed to acquisition of data, discussion and reviewed/edited manuscript. MCRFvD contributed to acquisition of data and reviewed/edited manuscript. CPHL and ICCH coordinated inclusion of individuals with CAD and reviewed the manuscript. CJZ coordinated inclusion of individuals with PAD and reviewed the manuscript. MGv contributed to acquisition of data, discussion and reviewed/edited manuscript. BHRW coordinated inclusion of diabetic individuals and reviewed/edited the manuscript. HvG contributed to discussion and reviewed/edited manuscript. JLH was responsible for the conception and design of the study, researched data, contributed to discussion and reviewed/edited manuscript. All authors read and approved the final manuscript.

Author details

¹Department of Pathology & Medical Biology, Pathology, University of Groningen, University Medical Center Groningen, Hanzeplein 1, PO Box 30.001, Groningen, The Netherlands. ²5th Medical Department, Section of Endocrinology, University Hospital Mannheim, University of Heidelberg, Mannheim, Germany. ³Department of Pathology, Rijnstate Hospital, Arnhem, The Netherlands. ⁴Department of Cardiology, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands. ⁵Department of Critical Care, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands. ⁶Department of Surgery - Vascular Surgery, University of Groningen, University Medical Center

Groningen, Groningen, The Netherlands. ⁷Department of Nephrology, VU University Medical Center, Amsterdam, The Netherlands. ⁸Department of Endocrinology, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands.

Received: 20 August 2013 Accepted: 21 August 2013

Published: 28 August 2013

Reference

1. van Ark J, Hammes HP, van Dijk MC, Vervloet MG, Wolffenbuttel BH, van Goor H, Hillebrands JL: **Circulating alpha-klotho levels are not disturbed in patients with type 2 diabetes with and without macrovascular disease in the absence of nephropathy.** *Cardiovasc Diabetol* 2013, **12**:116. 14 August 2013.

doi:10.1186/1475-2840-12-120

Cite this article as: van Ark et al.: Correction: Circulating alpha-klotho levels are not disturbed in patients with type 2 diabetes with and without macrovascular disease in the absence of nephropathy. *Cardiovascular Diabetology* 2013 **12**:120.

* Correspondence: j.l.hillebrands@umcg.nl

¹Department of Pathology & Medical Biology, Pathology, University of Groningen, University Medical Center Groningen, Hanzeplein 1, PO Box 30.001, Groningen, The Netherlands

Full list of author information is available at the end of the article