

ERRATUM

Open Access



Erratum to: Third generation drug eluting stent (DES) with biodegradable polymer in diabetic patients: 5 years follow-up

Marcus Wiemer^{1*}, Sinisa Stojkovic², Alexander Samol¹, Zisis Dimitriadis³, Juan M. Ruiz-Nodar⁴, Ralf Birkemeyer⁵, Jacques Monsegu⁶, Gérard Finet⁷, David Hildick-Smith⁸, Damras Tresukosol⁹, Enrique Garcia Novo¹⁰, Jacques J. Koolen¹¹, Emanuele Barbato^{12,14}, Gian Battista Danzi¹³ and on behalf of NOBORI 2 investigators

Erratum to: Cardiovasc Diabetol (2017) 16:23
DOI 10.1186/s12933-017-0500-3

After publication of the original article [1], it came to the authors' attention that there was a typo within the author list. The family name of Sinisa Stojkovic was incorrectly spelled 'Stoikovic'. The author's name appears in its correct form in this erratum.

Author details

¹ Department of Cardiology and Intensive Care Medicine, Johannes Wesling University Hospital, Ruhr University Bochum, Hans-Nolte-Str. 1, 32429 Minden, Germany. ² Clinic for Cardiology, Clinical Center of Serbia, School of Medicine, University of Belgrade, Belgrade, Serbia. ³ Department of Cardiology, Heart and Diabetes Center North Rhine-Westphalia, Ruhr University Bochum, Bad Oeynhausen, Germany. ⁴ Hospital General Universitario de Alicante, Universidad Miguel Hernández, Alicante, Spain. ⁵ Herzklinik Ulm, Ulm, Germany. ⁶ Groupe Hospitalier Mutualiste de Grenoble, Grenoble, France. ⁷ Hospital Cardiovasculaire Louis Pradel, Bron, France. ⁸ Sussex Cardiac Centre, Brighton and Sussex University Hospitals, Brighton, UK. ⁹ Siriraj Hospital, Bangkok, Thailand. ¹⁰ Hospital Guadalajara, Guadalajara, Spain. ¹¹ St. Catharina Eindhoven, Eindhoven, The Netherlands. ¹² Cardiovascular Research Center Aalst, OLV Hospital, Aalst, Belgium. ¹³ Ospedale Santa Corona, Pietra Ligure, Italy. ¹⁴ Department of Advanced Biomedical Sciences, University of Naples Federico II, Naples, Italy.

The online version of the original article can be found under doi:[10.1186/s12933-017-0500-3](https://doi.org/10.1186/s12933-017-0500-3).

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 04 May 2017

Reference

1. Wiemer M, Stojkovic S, Samol A, Dimitriadis Z, Ruiz-Nodar JM, Birkemeyer R, Monsegu J, Finet G, Hildick-Smith D, Tresukosol D, Novo EG, Koolen JJ, Barbato E, Danzi GB, on behalf of NOBORI 2 investigators. Third generation drug eluting stent (DES) with biodegradable polymer in diabetic patients: 5 years follow-up. *Cardiovasc Diabetol*. 2017;16:23. doi:[10.1186/s12933-017-0500-3](https://doi.org/10.1186/s12933-017-0500-3).

*Correspondence: marcus.wiemer@muehlenkreiskliniken.de

¹ Department of Cardiology and Intensive Care Medicine, Johannes Wesling University Hospital, Ruhr University Bochum, Hans-Nolte-Str. 1, 32429 Minden, Germany

Full list of author information is available at the end of the article