CORRECTION Open Access

Correction to: Dapagliflozin decreases small dense low-density lipoprotein-cholesterol and increases high-density lipoprotein 2-cholesterol in patients with type 2 diabetes: comparison with sitagliptin

Toshiyuki Hayashi^{1*}, Tomoyasu Fukui¹, Noriko Nakanishi¹, Saki Yamamoto¹, Masako Tomoyasu¹, Anna Osamura¹, Makoto Ohara¹, Takeshi Yamamoto¹, Yasuki Ito² and Tsutomu Hirano^{1*}

Correction to: Cardiovasc Diabetol (2017) 16:8 DOI 10.1186/s12933-016-0491-5

Following publication of the original article [1], the authors identified a number of errors. In Result (P.3), Table 1 (P.4), Table 5 (P.9) and Supplementary Table 1, the correct unit for adiponectin was $\mu g/mL$. In Table 1 (P.4), the correct value for the post treatment body weight in dapagliflozin was 76.2 ± 14.8 . In Table 6 (P.10), the correct value for the pre treatment sd LDL/LDL-C in decreased LDL-C group was 0.38 ± 0.10 .

Author details

¹ Division of Diabetes, Metabolism, and Endocrinology, Department of Medicine, Showa University School of Medicine, 1-5-8, Hatanodai, Shinagawa-ku, Tokyo 142-8666, Japan. ² Reagent R&D Department, Denka Seiken Co., Ltd., Nihonbashi Mitsui Tower, 1-1, Nihonbashi-Muromachi 2-chome, Chuo-ku, Tokyo 103-8338, Japan.

The online version of the original article can be found under doi:10.1186/s12933-016-0491-5.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 3 October 2017 Accepted: 3 October 2017 Published online: 13 November 2017

*Correspondence: t-hayashi@med.showa-u.ac.jp; hirano@med.showa-u.ac.ip

Full list of author information is available at the end of the article

Poforonco

 Hayashi T, Fukui T, Nakanishi N, Yamamoto S, Tomoyasu M, Osamura A, Ohara M, Yamamoto T, Ito Y, Hirano T. Dapagliflozin decreases small dense low-density lipoprotein-cholesterol and increases high-density lipoprotein 2-cholesterol in patients with type 2 diabetes: comparison with sitagliptin. Cardiovasc Diabetol. 2017;16:8. doi:10.1186/s12933-016-0491-5.



¹ Division of Diabetes, Metabolism, and Endocrinology, Department of Medicine, Showa University School of Medicine, 1-5-8, Hatanodai, Shinagawa-ku, Tokyo 142-8666, Japan